

Report Number: 17-083-0201

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237

Main 804-743-9401 ° Fax 804-271-6446

www.waypointanalytical.com

Send To: Denali Water
Cindy Duenes
2001 Key Street
Colton , CA 92324

Project : Denali Water Solutions

Lab Number : 63041

Sample Id : RIV

REPORT OF ANALYSIS

Date Sampled: 3/22/2017 15:00:00

Date Received: 03/24/2017 00:00

Date Reported: 03/31/2017

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Solids *	14.74	147400	100.0	R D	03/24/2017 16:30	SM-2540G
Moisture *	85.25		100.0	R D	03/24/2017 16:30	SM-2540G
Total Kjeldahl Nitrogen	6.85	68500	50.0	JM	03/27/2017 09:15	SM-4500-NH3C-TKN
Total Phosphorus	2.32	23200	100	MOS	03/29/2017 08:45	6010B
Total Potassium	0.19	1900	100	MOS	03/31/2017 09:20	6010B
Total Sulfur	1.20	12000	100	MOS	03/31/2017 09:20	6010B
Total Calcium	3.01	30100	100	MOS	03/31/2017 09:20	6010B
Total Magnesium	0.46	4580	100	MOS	03/31/2017 09:20	6010B
Total Sodium	0.08	764	100	MOS	03/31/2017 09:20	6010B
Total Iron		20800	100	MOS	03/31/2017 09:20	6010B
Total Aluminum	0.36		100	MOS	03/31/2017 09:20	6010B
Total Manganese		247	5.00	MOS	03/31/2017 09:20	6010B
Total Copper		647	5.00	MOS	03/31/2017 09:20	6010B
Total Zinc		753	5.00	MOS	03/31/2017 09:20	6010B
Ammonia Nitrogen	1.46	14600	50.0	R D	03/27/2017 09:15	SM-4500-NH3C
Organic N	5.39	53900	50.0		03/27/2017 09:15	CALCULATION
Nitrate+Nitrite-N		<2.40	2.40	SJB	03/28/2017 13:03	4500NO3F-2011

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

A handwritten signature in black ink, appearing to read "Debbie Holt".

Debbie Holt
Laboratory Supervisor

DENALI_005306

Report Number: 17-083-0201

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237
Main 804-743-9401 ° Fax 804-271-6446
www.waypointanalytical.com

Send To: Denali Water
Cindy Duenes
2001 Key Street
Colton, CA 92324

Project : Denali Water Solutions

Lab Number : 63041

Sample Id : RIV

REPORT OF ANALYSIS

Date Sampled: 3/22/2017 15:00:00

Date Received: 03/24/2017 00:00

Date Reported: 03/31/2017

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Cadmium		<2.00	2.00	MOS	03/31/2017 09:20	6010B
Total Chromium		25.0	5.00	MOS	03/31/2017 09:20	6010B
Total Nickel		17.0	5.00	MOS	03/31/2017 09:20	6010B
Total Lead		17.0	5.00	MOS	03/31/2017 09:20	6010B
Total Arsenic		7.00	3.00	MOS	03/31/2017 09:20	6010B
Total Mercury		0.690	0.400	SJB	03/29/2017 15:12	SW-7471B
Total Selenium		<5.00	5.00	MOS	03/31/2017 13:00	6010B
Total Molybdenum		24.0	5.00	MOS	03/31/2017 09:20	6010B

Comments:

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

A handwritten signature in black ink, appearing to read "Debbie Holt".

Debbie Holt
Laboratory Supervisor

DENALI_005307